

# GND Webformular Körperschaften

## Appendix: Format specifications

Tab (equivalent to GND web form for persons)
Heading within tab-section
Field labels and corresponding internal tags and subfields
Tags that are always protected
Last modifications

German	English	Tag	Sub-field	Remarks
(Hidden)		002@	\$0	Generate: Tb
(Hidden)		004B	\$a	Generate: kiz
(Hidden)		008A	\$a	Generate: t
(Hidden)	GND identifier	003U		
(Hidden)	GND number	007K		
(Hidden)	Old entity number	007N		
(Hidden)	Old description	047C		
(Hidden)	DEA sort name	070A		
(Hidden)	Local identifier	070A /03		
Name der Organisation	Name of the organization			
Name der Organisation	Name of the organization			
Name der Organisation	Name of the organization	029A	\$a	<b>Mandatory</b> (field 029A)
Untergeordnete Organisation	Subordinate organization		\$b	
Zusatz	Miscellaneous information		\$g	
Andere Namen	Variant Names			Repeatable without occurrence
Name der Organisation	Name of the organization	029@	\$a	
Untergeordnete Organisation	Subordinate organization		\$b	
Zusatz	Miscellaneous information		\$g	
Zeit	Time			
Gründungsdatum	Date of Establishment	060R	\$a	date form: YYYY or DD.MM.YYYY
vor/nach Chr.	before Christ / anno Domini		\$a	If "before Christ" generate a "v" before the year. See webform for persons
Auflösungsdatum	Date Of Termination		\$b	date form: YYYY or DD.MM.YYYY
vor/nach Chr.	before Christ / anno Domini		\$b	If "before Christ" generate a "v" before the year. See webform for persons
Freitext	Free text		\$d	
(Hidden)			\$4	(Relationship Designator) 060R \$4 = datb for YYYY or DD.MM.YYYY
Beziehungen	Relationships			
Hauptsitz	Headquater	065R		<b>Mandatory</b> (field 065R)

Hauptsitz	Headquater	065R	\$9	<b>Mandatory</b> Dynamic list (search index AN only authorities, display tag 151). The ppn of the selected item is stored in subfield \$9
(Hidden)		065R		If the code in \$4 is not "orta", the whole field is hidden,
(Hidden)			\$4	<b>Mandatory</b> (Relationship Designator) <b>Generate code "orta"</b>
Freitext	Free text		\$a	Free text
Beziehungen zu Organisationen	Relationship to Organizations	029R	\$9	Repeatable without occurrence  Dynamic list (search index AN only authorities, display tag 150) The ppn of the selected item is stored in subfield \$9.
Name der Organisation	Name of the organization		\$a	Free text
Untergeordnete Organisation	Subordinate organization		\$b	Free text
Zusatz	Miscellaneous information		\$g	Free text
Beziehungstyp: „Vorgänger“ „Nachfolger“ „Übergeordnete Organisation“ „andere Relationen“	Type (drop-down): „Preceding organization“ „Succeeding organization“ „Hierarchical superior“ „Other“		\$4	Generate code "vorg" "nach" "adue" "rela"  If none of the mentioned types of relationship and "-" is selected than generate code "rela" (see webcat "person", added 2019-01-08)
Beziehungen zu Personen	Relationships to Persons	028R	\$9	Repeatable without occurrence Dynamic list (search index AN only authorities, display tag 100) The ppn of the selected item is stored in subfield \$9.
Freitext	Free text		\$a	
Beziehungstyp: „Gründer“ „Andere Beziehung“	Type (drop-down): „Founder“ „Other“		\$4	Generate code "grue" "rela"  If none of the mentioned types of relationship and "-" is selected than generate code "rela" (see webcat "person", added 2019-01-08)
Sonstige Angaben	Other information			
Land	Country	042B	\$a	<b>Mandatory</b> , Subfield repeatable Default = "Unknown" Integrate a list of countries which is mapped to country codes  Repeatable (see webcat "person", added 2019-01-08)
Homepage	Homepage	050E	\$a	Generate default text "Homepage"
Stand, Bemerkung			\$b	Free text, generate text "Stand: {{CURRENTDATE}}"
URL	URL		\$u	Free text
Historische und andere Angaben		050G	\$b	expanded text